



A Performance Health company



# PIVOTAL HEALTH SOLUTIONS INTERNATIONAL PRODUCT GUIDE

# TABLE OF CONTENTS

ERGOSTYLE™ ES2000 GEN II.....	Page 4
ERGOSTYLE™ FX.....	Page 6
ERGOSTYLE™ ELEVATING HYLO.....	Page 8
ERGOBASIC SERIES.....	Page 10
ERGOBENCH SERIES.....	Page 12
ATT-300 INTERSEGMENTAL ROLLER MASSAGE TABLE.....	Page 13
ERGOWAVE ROLLER MASSAGE TABLE.....	Page 14
DOC DECOMPRESSION TABLE.....	Page 16
THERA-P™ TRACTION TABLE.....	Page 18
ELEVATING THERAPY TILT TABLE.....	Page 20
LEG & SHOULDER (LAST) TABLE .....	Page 21
THERA-P™ ELECTRIC TREATMENT TABLE.....	Page 22
ESSENTIAL THERA-P™ ELECTRIC TREATMENT TABLE.....	Page 24

THERA-P™ BARIATRIC ELECTRIC TREATMENT TABLE .....	Page 25
EPD/E-EPD.....	Page 26
ALUMA ELITE ELEVATING MAT TABLE.....	Page 28
PT2000 BARIATRIC HI-LO MAT TABLE.....	Page 29
ALUMA ELITE TREATMENT TABLE.....	Page 30
PORTABLE ALUMINUM TREATMENT TABLE.....	Page 31
CLASSIC SERIES ATHENA MASSAGE TABLE.....	Page 32
STAIRCASES .....	Page 33
PARALLEL BARS ELECTRIC PLATFORM MOUNT.....	Page 35
STOR-EDGE™ MULTI PURPOSE CARTS.....	Page 36
PORTABLE MIRRORS.....	Page 43
AMBULATION TRAINING.....	Page 44
CLINICAL ACCESSORIES.....	Page 45
ROLYAN SMART SPLINT BATH .....	Page 46

# ERGOSTYLE™ ES2000 GEN II


The ErgoStyle™ ES2000 Gen II takes the table you know one step further. With smooth electric elevation and easy upgrades, you can customize your table to your practice setting. Our patented ErgoStyle drop elevates across the entire cushion, rather than a single pin, allowing for improved accuracy and a smoother adjustment with less force-for less stress on you and your patient. It's also fully modular, allowing for easy modifications and upgrades in the field, both now or later as your techniques and practice grow.

## ***Standard Features:***

- Lifting capacity: 181 kg
- Overall dimensions: 178cm x 71cm x 51-81cm
- Extended maximum length: 193cm with ankle extension
- Electric elevation from 51-81cm
- Single foot pedal for elevation
- Expanding covers over lifting mechanism
- Tilting headpiece with adjustable sewn face cushions
- 57cm Wide seamless cushions with multi-density foam
- Locking 15cm extending ankle rest
- Stationary chest
- Fixed pelvic section
- Paper roll holder and cutter
- Durable powder coat finish
- Dual auto-cocking foot pedal included with auto-cocking drops
- ADA compliant
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz

ES2000 GEN II.....ES9300  
Elevating Adjusting Treatment  
Table

ES2000 GEN II.....ES9320  
Elevating Adjusting Treatment  
Table with 3 Auto-Cocking Drops



**LIFTING CAPACITY**  
181 kg

**OVERALL DIMENSIONS**  
178cm x 71cm x 51-81cm

**EXTENDED MAXIMUM LENGTH**  
183cm with ankle extension

**CUSHION WIDTH**  
57cm

# ERGOSTYLE™ FX

The ErgoStyle™ FX offers full, ultra-smooth counterbalanced flexion and distraction, effortlessly meeting the core needs of your practice. Manual flexion/distraction is built right in, with infinitely variable electric spring tension so you can move the caudal section in any direction with just the touch of a finger. For added flexibility, the table also quietly elevates from its lowest height of 51cm to its full height of 81cm. It's also fully modular, allowing for easy modifications and upgrades in the field, both now or later as your techniques and practice grow.


## **Standard Features:**

- Lifting capacity: 181 kg
- Overall dimensions: 178cm x 71cm x 51-81cm
- Extended maximum length: 198cm with ankle extension
- Electric elevation from 51-81cm
- Single foot pedal for elevation
- Expanding covers over lifting mechanism
- Tilting headpiece with adjustable sewn face cushions
- 57cm Wide seamless cushions with multi-density foam
- Manual flexion/distraction (Flexion: 15°; Extension: 12°; Side Bending: 30° total)
- Single tension foot pedal (manual flexion only)
- Locking 20cm extending ankle rest with ankle cuffs
- Stationary chest
- Paper roll holder and cutter
- Durable powder coat finish
- Single auto-cocking foot pedal included with auto-cocking drops
- ADA compliant
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz



FX.....ES5820  
Elevating Manual Flexion  
Distraction Table

FX.....ES5822  
Elevating Manual Flexion  
Distraction Table with 3  
Auto-Cocking Drops



ErgoStyle™ FX  
ES5820 shown with options

**LIFTING CAPACITY**  
181kg

**OVERALL DIMENSIONS**  
178cm x 71cm x 51-81cm

**EXTENDED MAXIMUM LENGTH**  
198cm with ankle extension

**CUSHION WIDTH**  
57cm

# ERGOSTYLE™ ELEVATING HYLO

ErgoStyle™ Elevating HYLO is feature-rich with smooth elevation and up to 63° tilting capabilities that reduce stress on you and your patients. The ErgoStyle Elevating HYLO Table also features a tuck away foot plate allowing better access to the end of the table. Because it's fully modular, it accommodates easy modifications and upgrades as your practice and techniques grow. Choose from manual drops, various adjustable headpieces, breakaway chest, and many other options to customize your table to your practice needs.

## ***Standard Features:***

- Lifting capacity: 181kg
- Overall dimensions: 178cm x 71cm x 51-76cm
- Extended maximum length: 193cm with ankle extension
- Electric elevation from 51-76cm
- 0-63° Tilting
- Single foot pedal for elevation & HYLO
- Tilting headpiece with adjustable sewn face cushions
- 57cm Wide seamless cushions with multi-density foam
- Locking 15cm extending ankle rest
- Stationary chest
- Fixed pelvic section
- Foldaway foot plate
- Paper roll holder and cutter
- Durable powder coat finish
- Dual auto-cocking foot pedal included with auto-cocking drops
- ADA compliant
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz



Elevating HYLO Table.....EH9400

Elevating HYLO Table.....EH9421  
Autococking 120V



ErgoStyle™ Elevating HYLO  
EH9400  
shown with options

**LIFTING CAPACITY**  
181kg

**OVERALL DIMENSIONS**  
178cm x 71cm x 51-76cm

**EXTENDED MAXIMUM LENGTH**  
193cm with ankle extension

**CUSHION WIDTH**  
57cm

# ERGOBASIC SERIES

## **Standard Features:**

- Load capacity: 159kg
- Overall dimensions: 69cm x 165cm x 46-61cm
- Tilt headpiece
- Accelerator™ III pelvic drop
- Unitized steel frame
- 52cm Wide seamless cushions
- Paper roll holder and cutter
- Shipped fully assembled
- ADA Compliant
- MDR Compliant

**The ErgoBasic Series** offers a critical mix of adjusting features that is praised by many practitioners.

ErgoBasic.....EB9040  
(Soft Foam)

ErgoBasic.....EB9050  
(Firm Foam)



EB9050



EB9050 with options


# ERGOBASIC WITH MANUAL PUMP ELEVATION

## ***Standard Features:***

- Load capacity: 181kg
- Overall dimensions: 69cm x 177cm x 46-61cm or 56-71cm
- Manual hydraulic pump elevation
- Tilting headpiece with adjustable sewn face cushions
- Firm foam
- Paper roll holder and cutter
- Durable powder coat finish
- Accelerator™ III Pelvic Drop
- ADA Compliant
- MDR Compliant

ErgoBasic.....EB9060  
(46-61cm)

ErgoBasic.....EB9061  
(56-71cm)



EB9060

# ERGOBENCH SERIES

## **Standard Features:**

- Load capacity: 159kg
- Overall dimensions: 61cm x 185cm x 46-61cm
- Unitized steel frame
- 61cm Seamless cushions
- Multi-fit arm rests
- Paper roll holder and cutter
- Bottleneck shape
- ADA Compliant
- MDR Compliant

**The ErgoBench Series** brings uncompromised stability and style to any office at an affordable price. It features a smooth, flat surface, unitized steel frame with a bottleneck shape, seamless cushions, multi-fit arm rests, and a paper roll holder and cutter.

Fixed Top...EB9020-U  
(Soft Foam)

Tilt Head...EB9000-U  
(Soft Foam)



EB9020



EB9000



# ATT-300 INTERSEGMENTAL ROLLER MASSAGE TABLE

## **Standard Features:**

- Load capacity: 156kg
- Overall dimensions: 56cm x 183cm x 64cm
- Clockwise and counter-clockwise rotation
- Travel indicator
- Automatic lowering device
- Adjustable massage pressure
- Vibration
- LED roller height indicator
- 30 Minute timer
- (1) Cervical bolster and (1) knee bolster (black)
- 10cm Roller height adjustment
- Four ball casters
- Rated voltage 120V

## ATT-300-W

This Wood Roller Massage Table features three large rotating rollers traveling both clockwise and counterclockwise, up and down the spine, to knead and relax muscles in the neck, shoulders and lower back.



ATT-300



ATT-300-W

# ERGOWAVE ROLLER MASSAGE TABLE

## **Standard Features:**

- Load capacity: 159kg
- Overall dimensions: 198cm x 64cm x 61cm
- Quick height adjustments: Gas spring makes roller height adjustments quick and easy
- Ultra quiet operation: high-quality motor for nearly silent operation without disturbing vibrations
- Built-in storage shelf
- Welded steel frame for stability
- 30-Minute timer
- 8cm Roller height adjustment

**The ErgoWave Roller Massage Table** covers all areas of the spine isolating the lumbar, thoracic or cervical regions. Three independent rollers repeat every 13 seconds delivering a unique wave action that travels up the spine. A powerful yet nearly silent motor never disturbs your patient's relaxation and you can add a leg bolster or head pillow for added comfort.

ErgoWave Roller Massage.....EW9080



EW9080



# CUSTOMIZE IT!

YOU CAN CHOOSE COLORS AND BRANDING FOR MOST PRODUCTS THAT ARE DESIGNED TO MATCH FOR A MORE COHESIVE LOOK IN YOUR FACILITY.



**CONTACT US FOR A FREE  
CUSTOM MOCKUP:**

**PHSMEDICALSOLUTIONS.COM |  
ARMEDICAMFG.COM | 800.743.7738**

# DOC DECOMPRESSION TABLE

The DOC Decompression Table takes your chiropractic practice to the next level with its unique design and impressive list of standard features. The state-of-the-art digital command center controls specific vertebral targeting, including axial rotation and lateral flexion; correctly positions patients in antalgic posture; offers separate lumbar and cervical decompression programming; and delivers continuous readout and graphing of treatment protocols. The digital command center also controls table elevation and rear flexion, all at the push of a button. Patients may be treated in supine or prone positions and from various angles.


## ***Standard Features:***

- Lifting capacity: 159kg
- Overall dimensions: 76cm x 196cm x 53cm
- Electric elevation range: 53-74cm
- Lateral flexion positioning and axial rotation
- Cervical capture headpiece
- Traction belting system enhances restraint for optimal decompression
- User-defined treatment hold and relax times
- Real-time digital treatment tracking
- Speed control
- Pre-programmed lumbar and cervical decompression protocols
- Digital Command Center includes: Specific vertebral targeting, separate lumbar and cervical traction/decompression programming, continuous readout and graphing of treatment parameters, and interactive color display
- Reference library - including patient setup and training materials
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz

DOC Decompression.....E9011-B  
120V Targeting of Axial Rotation and Lateral Flexion

DOC Decompression Tower.....E9022  
120V Targeting of Axial Rotation and Lateral Flexion

- FDA Cleared
- EU Certified
- Licensed in Canada




E9011-B



### Supine Flexion and Extension

The ideal position for older or heavier patients who can't tolerate decompression but benefit from extension with disc herniations or disc bulging.



### Prone Flexion and Extension

The ideal patient position for younger patients who can tolerate prone positioning for symptoms of disc herniations and disc bulges.



### Lateral Flexion

Laterally flexing away from a disc herniation can dramatically help improve disc herniation outcomes. It is also effective for symptoms of antalgic patients.



### Rotation

Effective patient positioning for antalgic patients.

**LIFTING CAPACITY**  
159kg

**OVERALL DIMENSIONS**  
76cm x 196cm x 53cm

**ELECTRIC ELEVATION RANGE**  
53-74cm

**CUSHION WIDTH**  
76cm

# THERA-P™ TRACTION TABLE

Comprised of 4 or 6 sections, the Thera-P Traction Tables use electric power to help with manual adjustment, allowing for ease of use and control of table positioning. For the practitioner, the Thera-P Traction Table offers a 51-94cm full height adjustment and section mobility so the patient can be placed in the proper position for maximum results with minimum effort. Each section is adjustable, providing numerous achievable patient positioning options.

## ***Standard Features:***

- Load capacity: 294kg
- 69cm x 198cm x 51-94cm
- Durable and stylish steel base
- White powder coat base
- Whisper quiet lift system
- Height adjustment: 51-94cm
- Dual foot bar control
- 69cm Wide cushions in 2 different top configuration options
- 5cm High density foam cushions
- Rounded corners
- Friction-free gas shock cushion separation with lock and unlock lever
- (2) Low profile locking casters
- Head section angle range: +30° to -90°
- Armrest horizontal range: 0 to 45°
- Armrest vertical range: 0 to 18cm
- Lift back: 0 to 70°
- MDR compliant



Knee & Cervical Bolster Set  
and Traction Belt



Traction Head



Cervical Attachment  
& Head Pillow



TXT-1004 with options

**Branding Options  
Available**



TXT-1004



TXT-1006



# ELEVATING THERAPY TILT TABLE

The Elevating Therapy Tilt Table is ideal for nursing home and rehabilitation facility use. Smooth and secure elevation adjusts from 57-100cm high, and tilts from a horizontal position to 90°. A heavy-duty powder coat frame supports a load capacity of 159kg and includes an extra-large foldaway foot plate with non-skid surface and dual safety straps for added stability. The 5cm high density foam cushions with two configurable options are designed for patient comfort.

## ***Standard Features:***

- Load capacity: 159kg
- 69cm x 208cm x 57-100cm
- (2) Safety straps
- Extra large foldaway foot plate with non-skid tape
- Hand control for tilt
- Single foot control for lift
- Nose hole with plug
- (4) Individual locking casters





# LEG & SHOULDER THERAPY (LAST) TABLE

## **Standard Features:**

- Load capacity: 294kg
- 76cm x 213cm x 48-94cm
- Adjustable top with standard elevating base
- White anti-bacterial and anti-microbial powder coat base
- Whisper quiet lift system
- Height adjustment: 48-94cm
- Single foot control pedal
- Elevating back: 0 - 70°
- Elevating/drop legs: 0 - 90°
- Leg height: 43cm
- 5cm High density foam cushions
- Nose hole
- Rounded corners
- Low profile locking casters
- ADA Compliant
- MDR compliant



PT9060 with options

Patent # 10,857,052

# THERA-P™ ELECTRIC TREATMENT TABLE

Ease of use, multiple options and a sleek but durable design make the THERA-P line of electric treatment tables the choice of therapists everywhere. Seven top options allow therapists to choose the table that best meets their needs and that ensures patients' most comfortable positioning. The THERA-P electric treatment table is constructed of precision-cut flat and tube steel for durability and style. It also has a whisper-quiet lift system (with elevating foot switch) and easy-to-operate caster system for better ergonomics.

## **Standard Features:**

- Load capacity: 295kg
- 69cm x 196cm x 43-89cm
- Durable and stylish steel base
- White anti-bacterial and anti-microbial powder coat base
- Whisper quiet lift system with single foot control pedal
- Height adjustment: 43-89cm
- 69cm Wide cushions in 7 different configuration options
- 5cm High density foam cushions with rounded corners
- Low profile locking casters
- Head section angle range: +40° to -90° (PT1177: +35° to -45°)
- Lower extremity angle range: 0 to 65° (PT1177: 0-75°)
- Armrest horizontal range: 0 to 45°
- Armrest vertical range: 0 to 18cm
- 7 Section configuration includes electric elevating midsection with hand control
- ADA Compliant
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz



1 Section Thera-P  
PT1101/EPT01




2 Section Thera-P  
PT1102/EPT02



3 Section Thera-P  
PT1103/EPT03



4 Section Thera-P  
PT1104/EPT04



5 Section Thera-P  
PT1105/EPT05



6 Section Thera-P  
PT1106/EPT06



7 Section Thera-P  
PT1177/EPT77

## Options:

### 240V Tables available

**PT303x** - 76cm Cushion Configuration

**S1135** - Manual Elevating Midsection (Only available on EPT03 & EPT05)

**S1077** - Dual Foot Control Pedal

**S1078** - Dual Foot Bar Control

**S2078** - Dual Foot Bar Control with Front Foot Bar Adder

**EPTPH01** - Paper Roll Holder

(Only available on EPT01, EPT02, or EPT03)

**PT10001** - Nose Hole Plug

**S1151** - (1) Battery and (1) wall charger

**S1152** - (2) Batteries and (1) wall charger



3 Section Thera-P  
PT1103/EPT03

# ESSENTIAL THERA-P ELECTRIC TREATMENT TABLE

## ***Standard Features:***

- Load capacity: 295kg
- 69cm x 196cm x 43-89cm
- Durable and stylish steel base
- White anti-bacterial and anti-microbial powder coat base with single foot control pedal
- Whisper quiet lift system
- Height adjustment: 43-89cm
- 69cm Wide cushions in 7 different configuration options
- 5cm High density foam cushions with rounded corners
- Individual locking casters
- 7 Section configuration includes electric elevating midsection with hand control
- ADA Compliant
- MDR compliant
- Rated voltage 120V/240V
- Rated frequency 50Hz/60Hz




EPT03

# THERA-P™ BARIATRIC ELECTRIC TREATMENT TABLE

## **Standard Features:**

- Load capacity: 295kg
- 86cm or 91cm x 196cm x 43-89cm
- Durable and stylish steel base
- White anti-bacterial and anti-microbial powder coat base
- Whisper quiet lift system with single foot control pedal
- Height adjustment: 17-35"
- 86cm or 91cm Wide cushions in 4 different configuration options
- 5cm High density foam cushions with rounded corners
- Low profile locking casters
- ADA Compliant

TABLE CONFIGURATIONS:



PT3613 with options



# EPD EPIDURAL POSITIONING DEVICE

Patented in 2001, our EPD is a landmark device designed by an anesthesiologist that positions patients correctly and comfortably by encouraging cervical, thoracic and lumbar flexion while maintaining a solid and stable position. Manually controlled chest, arm and head support ensures that patients of every body type and size can be accommodated and the back remains immobile during epidural placement. The EPD is suitable for use in operating rooms, labor and delivery suites, pain centers or anywhere epidural and spinals are performed.

## **Standard Features:**

- Load capacity: 272kg
- 52cm x 76cm x 127-152cm
- White powder coat base
- 180° Adjustable face rest
- 6 Position adjustable arm rest
- Arm rest size: 42cm x 25cm
- Arm rest adjustment: 81-109cm from the floor
- Interchangeable torso cushions (1 flat and 1 elevated)
- Torso cushion size: 20cm x 20cm
- Torso cushion adjustment: 14-25cm
- MDR compliant



FRC 30-50

EPD  
(Epidural Positioning Device)





# E-EPD ELECTRIC EPIDURAL POSITIONING DEVICE

Based on a design by an anesthesiologist, the E-EPD positions patients correctly and comfortably. A new curved design accommodates patients of a variety of body sizes and weights. Electronic controls adjust the E-EPD to the correct height and foot position for each patient, while the easy mechanical lock and release system makes chest, arm and head adjustments quick and effortless.

## **Standard Features:**

- Load capacity: 272kg
- 71cm x 74cm x 127-152cm
- 180° Adjustable face rest
- Prepositional pillow for use during cervical, lumbar and thoracic placement
- Arm rest adjustment: 15cm
- Torso cushion adjustment: 15cm
- Single hand control adjusts both midsection and foot rest
- (2) Rechargeable batteries last up to 100 cycles each
- Medical grade profile locking casters
- Rated voltage 120V



E-EPD  
(Electric Epidural  
Positioning Device)

# ALUMA ELITE ELEVATING MAT TABLE

Our Aluma Elite mat table is built to handle the harshest environments. This new mat table is fabricated with a rugged aluminum frame that maintains its structure and integrity. Choose from a fixed height mat table or an elevating mat table. Custom graphics are included if the storage shelf option is selected.

## ***Standard Features:***

- Load capacity: 454kg
- Durable aluminum construction
- Tough powder coat finish
- Leveling feet
- 4cm Semi-firm foam cushion
- Rounded corners
- Elevation option: hand control is mounted on one side
- Graphics package: includes (1) school logo/name decal on each tape holder (1 on each end) (Only available with storage shelf option)



A4520-EL with options

# PT2000 BARIATRIC HI-LO MAT TABLE

The PT2000 Bariatric Hi-Lo Mat Table is ideal for the rehabilitation setting and is available in a range of sizes to provide your facility with the option of delivering optimum care for larger patients.

## **Standard Features:**

- Load capacity: 454kg
- Available in 1.22m x 2.13m, 1.52m x 2.13m, 1.83m x 2.44m configurations
- Height range: 46-84cm
- Durable steel base with powder coat finish
- 4cm High density foam cushion
- Rounded corners
- Single foot control
- Convenient drop down casters
- ADA Compliant



# ALUMA ELITE BASIC TREATMENT TABLE

The dependable Aluma Elite Basic Treatment Table is the perfect centerpiece for each therapy or rehab facility. The extraordinary load capacity of 295kg and the welded aluminum frame make the Aluma Elite Basic Treatment Table the perfect table for your office, clinic, gym, or facility. Make it your own by adding length or width, laminate shelves or a cabinet that can be mounted on either end.

## **Standard Features:**

- Load capacity: 295kg
- 69cm or 76cm x 183cm or 198cm x 79cm
- Welded aluminum frame
- H-brace construction
- 5cm High density foam cushion
- Rounded corners
- Tough powder coat finish
- Available in Flat and Lift Back Configurations



A4327LB with options

# PORTABLE ALUMINUM TREATMENT TABLE

The Portable Aluminum Treatment Table is rugged yet lightweight and functional. It comes standard with a 5cm firm foam system, rounded corners, adjustable height leg system, four field feet, face rest and standard carry case.

## ***Standard Features:***

- Load capacity: 272kg
- Table weight: 17kg
- Lightweight aluminum frame
- Height range: 61-84cm
- 11-Layer plywood base
- Auto-hold hinge
- 20cm on center dual end accessory ports
- 5cm Firm foam cushion, black or navy upholstery
- Rounded corners
- Removable field feet
- Black carry case
- Face rest and pillow



I9390AE

# CLASSIC SERIES ATHENA MASSAGE TABLE

## Standard Features:

- Load capacity: 204kg
- 71cm or 76cm x 185cm x 64-89cm
- Table weight: 14kg for 71cm, 15kg for 76cm
- Shiatsu release cables
- 23cm on center dual-end accessory ports Reiki end panels on both ends
- 8cm Multi-layer foam

## Upgrades:

- True Touch Upholstery
- True Touch Upholstery with Touch Response Memory Foam
- Rounded Corners
- Breast Recesses
- Prenatal Upgrade: Breast Recesses and Belly Cutout with Sling



AT

## CLASSIC SERIES UPHOLSTERY CHOICES:



## TRUE TOUCH UPHOLSTERY CHOICES:





# ALUMINUM STAIRCASES



PTST-002-  
AHR-A- Straight

## Straight Staircases

### Standard Features:

- Load capacity: 272kg
- Platform: 76cm x 61cm x 61cm
- (3) 76cm x 25cm x 15cm Steps
- Overall: 89cm x 155cm x 152cm
- 2.44m Ceiling height required
- Ships fully assembled



PTST-001-AHR-A-  
Small Pass Through

## Small Pass Through

### Standard Features:

- Load capacity: 272kg
- Platform: 76cm x 61cm x 30cm
- (2) 76cm x 25cm x 10cm Steps
- (1) 76cm x 25cm x 15cm Steps
- Overall: 89cm x 155cm x 121cm
- 2.44m Ceiling height required
- Ships fully assembled



PTST-003-AHR-A -  
Large Pass Through

## Large Pass Through

### Standard Features:

- Load capacity: 272kg
- Platform: 91cm x 91cm x 61cm
- (5) 91cm x 25cm x 10cm Steps
- (3) 91cm x 25cm x 15cm Steps
- Overall: 104cm x 314cm x 152cm
- 2.44m Ceiling height required

# WOODEN STAIRCASES



## Convertible Staircases

### **Standard Features:**

- Load capacity: 159kg (Maple Laminate) & 204kg (Birch)
- Platform: 76cm x 76cm x 61cm
- (4) 76cm x 23cm x 15cm steps and (6) 76cm x 23cm x 10cm steps
- 2.74m Ceiling height required

## Pass Through Staircases

### **Standard Features:**

- Load capacity: 159kg (Maple Laminate) & 204kg (Birch)
- Platform is 76cm x 61cm x 30cm
- (2) 76cm x 23cm x 15cm steps and (3) 76cm x 23cm x 10cm steps
- 2.44m Ceiling height required

## Straight Staircases

### **Standard Features:**

- Load capacity: 159kg (Maple Laminate) & 204kg (Birch)
- Platform is 76cm x 61cm x 61cm
- (4) 76cm x 23cm x 15cm steps
- 2.74m Ceiling height required

# PARALLEL BARS ELECTRIC PLATFORM MOUNT

## ***Standard Features:***

- Load capacity: 227kg
- 38-74cm x 213cm or 305cm x 69-132cm
- Platform: 109cm x 305cm x 38-74cm between columns
- Stainless steel hand rails (4cm Diameter)
- Digital display on conveniently located, user-friendly control panel shows exact bar height
- Memory buttons allow storage and recall of four separate bar height settings
- Microprocessor control unit ensures synchronous operation of all four columns
- Height monitoring functions ensure reliable operation and safe switch-off in case of a fall
- Slip-resistant platform
- ETL Approved



AM-TM700

# STOR-EDGE™ MULTI PURPOSE CARTS



**SR-001**

**Standard Features:**

- 76cm x 46cm x 183cm
- Front: slatwall & band dispensers
- Back: slatwall
- Sides: weight racks
- (9) 10cm Double hooks
- (10) J-Hooks

**Options:**

- **SR-WK1** - Weight Kit 1
  - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
  - (1) 5 Rep. resistance band set
- **SR-MI-001** - Mirror
  - 50cm x 166cm (back side)



**SR-002**

**Standard Features:**

- 76cm x 61cm x 155cm
- Front: doors with (3) shelves
- Back: slatwall
- Sides: weight racks
- (4) 10cm Double hooks
- (10) J-Hooks

**Options:**

- **SR-WK2** - Weight Kit 2
  - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
- **TSFO-FHLD**
  - Flush mount handles on large doors





Front



Back

## SR-004

### Standard Features:

- 61cm x 61cm x 155cm
- Front: band dispensers
- Back: slatwall
- Sides: weight racks
- (3) 10cm Double hooks
- (6) J-Hooks

### Options:

- **SR-WK4** - Weight Kit 4
  - (2) .45-4.54kg Dumbbell sets
  - (2) .45-2.27kg Dumbbell sets
  - (1) 5 Rep. resistance band set



Front



Back

## SR-005

### Standard Features:

- 32"W x 32"D x 72"H
- Front: cubbies, drop down desk with lock, (3) 20cm drawers
- Back: band dispensers & slatwall
- Left side: weight racks
- Right side: mirror (4) 10cm Double hooks (12) J-Hooks

### Options:

- **SR-WK3** - Weight Kit 3
  - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
  - (1) 5 Rep. resistance band set
  - (1) .45-1.36cm Weight bar set
- **TSFO-FHD**
  - Flush mount handles on doors
- **TSFO-FHDR**
  - Flush mount handles on drawers



# STOR-EDGE™ MULTI PURPOSE CARTS




**SR-006**

**Standard Features:**

- 91cm x 91cm x 185cm
- Front: Doors with (2) shelves & (2) 25cm Drawers
- Flush mount handles
- Back: weight racks
- Sides: slatwall
- (4) 10cm Double hooks
- (12) J-Hooks

**Options:**

- **SR-WK3** - Weight Kit 3 - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
  - (1) 5 Rep. resistance band set
  - (1) .45-1.36kg Weight bar set



**SR-007**

**Standard Features:**

- 76cm x 46cm x 152cm
- Front: slatwall
- Back: weight racks
- Right side: band dispensers
- Left side: storage compartment
- (4) 10cm Double hooks
- (10) J-Hooks

**Options:**

- **SR-WK3** - Weight Kit 3 - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
  - (1) 5 Rep. resistance band set
  - (1) .45-1.36kg Weight bar set



## SR-008

### Standard Features:

- 117cm x 66cm x 109cm
- Front: (5) 46cm drawers & (1) 46cm door
- Back: slatwall
- Left side: weight racks
- Right side: storage compartment
- (4) 10cm Double hooks
- (10) J-Hooks

### Options:

- **TSFO-FHD**  
- Flush mount handles on doors
- **TSFO-FHLD**  
- Flush mount handles on large doors



## SR-009

### Standard Features:

- 91cm x 91cm x 185cm
- Front: doors with (2) Shelves & (2) 25cm drawers
- Back: weight racks
- Sides: slatwall
- (4) 10cm Double hooks
- (10) J-Hooks

### Options:

- **SR-WK3** - Weight Kit 3  
- (2) .45-4.54kg Dumbbell sets

- (1) 16 pc. Hugger weight set
- (1) 5 Rep. resistance band set
- (1) .45-1.36kg Weight bar set

- **SR-MI-009** - Mirror  
- 67.3cm x 166.4 (back side)
- **TSFO-FHD**  
- Flush mount handles on doors
- **TSFO-FHLD**  
- Flush mount handles on large doors

# STOR-EDGE™ MULTI PURPOSE CARTS



**SR-010**

**Standard Features:**

- 183cm x 65cm x 84cm
- Front: (2) sliding doors
- Back & sides: solid

**Options:**

- **TSFO-FHD**  
- Flush mount handles on doors



**SR-011**

**Standard Features:**

- 127cm x 61cm x 165cm
- (4) Cubbies
- (4) Double hooks in each compartment
- (2) Drawers
- (4) 10cm Casters

**Options:**

- **TSFO-FHD**  
- Flush mount handles on doors

**SR-012****Standard Features:**

- 122cm x 51cm x 163cm
- (4) Cubbies
- (4) Double hooks in each compartment
- (2) Drawers
- 10cm Toe-kick

**Options:**

- **TSFO-FHD**  
- Flush mount handles on doors

**SR-013****Standard Features:**

- 66cm x 61cm x 165cm
- (2) Cubbies
- (4) Double hooks in each compartment
- (1) Drawer
- (4) 10cm Casters

**Options:**

- **TSFO-FHDR**  
- Flush mount handles on drawers

**SR-014****Standard Features:**

- 61cm x 51cm x 163cm
- (2) Cubbies
- (4) Double hooks in each compartment
- (1) Drawer
- 10cm Toe-kick

**Options:**

- **TSFO-FHDR**  
- Flush mount handles on drawers



# STOR-EDGE™ MULTI PURPOSE CARTS



**SR-015**

**Standard Features:**

- Standard Features:
- 88cm x 57cm x 91cm
- (4) 10cm Heavy duty casters
- Solid wood
- Top tray
- Open storage on lower shelf



**SR-016**

**Standard Features:**

- 81cm x 81cm x 183cm
- Black wire pull handles
- Full extension glides on drawers
- 10cm Heavy duty casters
- Ships fully assembled, except casters

**Options:**

- **SR-WK3** - Weight Kit 3 - (2) .45-4.54kg Dumbbell sets
  - (1) 16 pc. Hugger weight set
  - (1) 5 Rep. resistance band set
  - (1) .45-1.36kg Weight bar set
- **TSFO-FHD**
  - Flush mount handles on doors



# PORTABLE MIRRORS

The Portable Mirror is specifically designed with distortion free glass and is available with a single or double-sided 1.87m mirror. It can be moved around your facility hassle-free with its 5cm swivel casters to accommodate treatment needs.

## ***Standard Features:***

- Portable full length mirror
- 61cm x 51cm x 1.83m
- Distortion free glass
- 5cm Casters
- Laminate or wood options available



# AMBULATION TRAINING



WCCT



NFS-100



WCRS

## Ramp and Curb Training

### ***Standard Features:***

- Load capacity: 159kg
- 213cm x 112cm x 20cm
- Hardwood plywood construction
- Adjustable curbs store beneath platform
- Anti-slip safety tread on platform and all steps for increased safety

## Nested Foot Stools

### ***Standard Features:***

- Load capacity: 159kg
- Overall: 41cm x 51cm x 20cm
- Hardwood plywood construction
- Anti-slip safety tread on platform for increased safety

## Rolling Step

### ***Standard Features:***

- Load capacity: 136kg
- 76cm x 76cm x 20cm
- Hardwood plywood construction
- Anti-slip safety tread on platform for increased safety

# CLINICAL ACCESSORIES



## Smart Step Wellness Mats

Our line of high-performance Smart Step Wellness Mats deliver the comfortable support you need to help reduce stress, strain and fatigue while you work, play or exercise. Each mat features extra-durable construction, non-slip tops and bottoms, and an easy-to-clean, **antimicrobial** surface.

MDR Compliant



## Rolling Stools

Our rolling stools combine comfort with control thanks to a 8cm deluxe seat cushion, a five-star base with heavy-duty casters and pneumatic controls that adjust seat height from 46-58cm or 51-66cm

MDR Compliant

Available options: RS, MRS, I9332, I9310



## OMNI Cervical Relief Pillow

This pillow uses an ergonomically contoured shape to comfortably "cradle" the head and neck, allowing total relaxation of neck, shoulder and back muscles.

CEBL-1001  
Omni Cervical Relief Pillow



# rolyan<sup>®</sup>

*for Hand Therapy.*

## ROLYAN SMART SPLINT BATH

**A clean, smart, innovative design**

**A state-of-the-art, first-of-its-kind splint bath precisely engineered to remove the guesswork and help prevent cross contamination**

### **Automatic Dual Disinfection**

The only splint bath designed with two built-in methods of disinfection to keep patients safe and meet regulatory compliance

### **Fast & Uniform Heating**

Only 25 minutes to reach set water temperature with uniform and accurate heat distribution

### **Smart Technology**

Preset and custom thermoplastic settings, auto on/off, low water sensor, alerts, water evacuation, and much more



**MADE  
IN THE USA**



**Rolyan, where ingenuity and artistry go hand in hand.**

## ✓ THERMOPLASTIC PRESETS


### Recommended time and temperature presets

Choose pre loaded thermoplastic settings from top manufacturers or create your own from the LCD touch screen.

## ✓ DIGITAL TOUCH INTERFACE

### Traditional splint bath controls are antiquated and imprecise

A full menu of features allow clinicians control and customization from an easy to use touch display



Internal tub: 12" x 19" x 6"  
External tub: 22.6" x 19.75" x 10"



Fully retractable bi-fold lid fits under most cabinets for efficient use of counter top space



UV-C Germicidal Kill

High-Heat Sanitation Cycle

Thermoplastic Presets

Two-Stage Filtration

Auto On/Off

Fast & Uniform Heating

Audible/Visual Alerts

Bi-Fold Stainless Steel Lid

Rapid Water Evacuation

Low Water Sensor

Rapid Water Evacuation

Available in Basic Splint Bath



**Kills 99.9%  
of introduced  
microbes**

Meet Regulatory  
Compliance



# PIVOTAL HEALTH SOLUTIONS INTERNATIONAL PRODUCT GUIDE

## PERFORMANCE HEALTH

### INTERNATIONAL SALES OFFICE

208 KIFISSIAS AVENUE, 15231 HALANDRI - ATHENS - GREECE

TEL.: +30 210 6849 970, +30 210 6712 266

FAX: +30 210 6829 255

